

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	("7079648").PN.	US-PGPUB; USPAT	OR	OFF	2009/02/07 14:47
L3	2	("5689565" "6397330").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 14:48
L4	5	("6397330").URPN.	USPAT	OR	ON	2009/02/07 14:51
L5	2	("5689565" "6397330").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 14:54
L6	170	(380/2).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/02/07 14:59
L7	1	6 and (weak near3 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 14:59
L8	9	("20050117742" "20050160262" "20050235342" "20050257069" "6411715" "6504929" "7051202" "7187769" "7340053").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 15:00
L9	5	("6504929").URPN.	USPAT	OR	ON	2009/02/07 15:03
L10	90	(380/1).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/02/07 15:12
L11	4	10 and weak near3 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 15:12
L12	19	(6 10) and (key near3 length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 15:15
L13	869	((encryption cryptographic) with conform\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 15:23
L14	206	((encryption cryptographic) with conform\$4).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 15:23

L15	26	((encryption cryptographic) with conform\$4) same key near3 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 15:23
L16	40	((encryption cryptographic) with conform\$4) same key near3 (length size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 15:23
L17	12	((encryption cryptographic) with conform\$4 with test)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 15:33
L18	18	("5412717" "5644739" "5651068" "5740248" "5818446" "5841869" "5872555" "5907620" "5914714" "6005566" "6057836" "6072486" "6133915" "6188401" "6526513" "6647494" "6671809" "7096496"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 15:35
L19	31	("5907620").URPN.	USPAT	OR	ON	2009/02/07 15:36
L20	0	("7051067").URPN.	USPAT	OR	ON	2009/02/07 15:40
L21	1	(verify\$3 check\$3) near3 (min minimum) near3 key near2 (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:09
L22	2	(verify\$3 check\$3) with (min minimum) near3 key near2 (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:10
L23	11	(verify\$3 check\$3) with (min minimum) with key with (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:10
L24	26	(verify\$3 check\$3 valid validat\$3) with (min minimum) with key with (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:11
L25	1447	(verify\$3 check\$3 valid validat\$3) with key with (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:14
L26	203	(verify\$3 check\$3 valid validat\$3) near3 key near4 (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:15
L27	7	(verify\$3 check\$3 valid validat\$3) near3 key near4 (strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:15

L28	2793	key near4 (strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:28
L29	729	key near4 (strength) same (encrypt\$3 cipher)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:29
L30	289	key near4 (strength) same (encrypt\$3 cipher)	USPAT	OR	ON	2009/02/07 16:29
L31	10	("20020124176" "4157454" "5412729" "5425103" "5440640" "5717756" "5799086" "5799090" "5835597" "6038321").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 16:32
L32	30	(verify\$3 check\$3 valid validat\$3) near3 (conform \$4 correct\$4) same key near4 (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:50
L33	597	(726/25).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/02/07 16:55
L34	31	33 and key with (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:55
L35	1428	(726/22).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/02/07 17:03
L36	40	35 and key near4 (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 17:03
L37	42	35 and key near4 (size length strength weak)	US-PGPUB; USPAT	OR	ON	2009/02/07 17:03
L38	2	33 and key near3 (weak)	US-PGPUB; USPAT	OR	ON	2009/02/07 17:08
L39	2	("5689565" "6397330"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 17:11
L40	0	(confor\$4) near3 test with (encrypt\$3 adj key)	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 17:14
L41	5	(confor\$4) near3 test with (key)	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 17:14
L42	0	cryptographic adj modulation adj validation adj program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 17:21
L43	130	cmvp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 17:21
L44	4	cmvp and cryptographic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 17:21

L45	2	cryptographic adj module adj test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 17:22
L46	25	(valid validat\$3) near4 cryptographic adj module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 17:24
L53	2	("6567913").URPN.	USPAT	OR	ON	2009/02/07 18:26
L62	10	("4918728" "4941176" "5073934" "5200999" "5323464" "5432849" "5555309" "5651068" "5710814" "5841870"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 18:33
L63	1	("4850017").PN.	US-PGPUB; USPAT	OR	OFF	2009/02/07 18:37
L64	832	public adj key same "1024" adj bits	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 19:42
L65	1145195	des same "128" bits	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 19:43
L66	1130	des same "128" adj bits	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 19:43
L67	336	public adj key same "1024" adj bits	USPAT	OR	ON	2009/02/07 19:43
S1	88	726/25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 17:12
S2	1	(test\$3 with (strength weakness) with (cipher cryptographic)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:20
S3	10	(evaluat\$3 with (strength weakness) with (cipher cryptographic)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:27

S4	14	(evaluat\$3 with (strength weakness) with (key)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 18:21
S5	75	(380/1).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/05/24 18:21
S6	140	(380/2).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/05/24 18:21
S7	1	("7079648").PN.	US-PGPUB; USPAT	OR	OFF	2007/05/26 18:26
S8	1	("6397330").PN.	US-PGPUB; USPAT	OR	OFF	2007/05/26 18:27
S9	4	("6397330").URPN.	USPAT	OR	ON	2007/05/26 18:30
S10	5	("5412717" "5651068" "5740248" "5841869" "5907620").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/26 18:31
S11	4	("6397330").URPN.	USPAT	OR	ON	2007/05/26 18:35
S12	965	(717/124).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/05/26 18:35
S13	18	S12 and (cryptograph\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 18:36
S14	54	S12 and (cryptograph\$2 encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 18:36
S15	2	("5689565" "6397330"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/26 18:46
S16	4	("6397330").URPN.	USPAT	OR	ON	2007/05/26 18:51
S17	116	(test\$3 verif\$7 validat\$3) near5 (cryptographic near2 (provider (module device facilit\$3 component unit card hardware)))	USPAT	OR	ON	2007/05/26 18:55
S18	2777	((717/124-127) or (717/130-135)).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/05/26 18:54
S19	9	S18 and (cryptograph\$2 near2 (provider (module device facilit\$3 component unit card hardware)))	US-PGPUB; USPAT	OR	ON	2007/05/26 18:55
S20	0	("7079648").URPN.	USPAT	OR	ON	2007/05/26 18:58

S21	0	(cryptograph\$2 encryption) near3 correctness near2 detection	USPAT	OR	ON	2007/05/26 18:58
S22	12	(cryptograph\$2 encryption) near3 correctness	USPAT	OR	ON	2007/05/26 18:58
S23	19	(cryptograph\$2 encryption) near3 correctness	US-PGPUB; USPAT	OR	ON	2007/05/26 19:00
S24	321	(cryptograph\$2 encryption) and (acceptable valid proper adequate sufficient satisfactory passable tolerable) near4 (key adj (length size))	US-PGPUB; USPAT	OR	ON	2007/05/26 19:02
S25	24	(cryptograph\$2 encryption) and (acceptable valid proper adequate sufficient satisfactory passable tolerable) near4 (key adj (length size)) same (test\$3 analy\$3 check\$3 confirm\$5 prov\$3 compar\$3)	US-PGPUB; USPAT	OR	ON	2007/05/26 19:24
S26	24	(cryptograph\$2 encryption) and (acceptable valid proper adequate sufficient satisfactory passable tolerable) near4 (key adj (length size)) same (test\$3 analy\$3 check\$3 confirm\$5 prov\$3 compar\$3 identif \$3)	US-PGPUB; USPAT	OR	ON	2007/05/26 19:04
S27	25	(cryptograph\$2 encryption) and (acceptable valid proper adequate sufficient satisfactory passable tolerable) near4 (key adj (length size)) same (test\$3 analy\$3 check\$3 confirm\$5 prov\$3 compar\$3 identification)	US-PGPUB; USPAT	OR	ON	2007/05/26 19:05
S28	214	(cryptograph\$2 encryption) near3 (algorithm formula) near3 identifier	US-PGPUB; USPAT	OR	ON	2007/05/26 19:07
S29	622	(cryptograph\$2 encryption) near3 (algorithm formula) near3 (parameter identifier)	US-PGPUB; USPAT	OR	ON	2007/05/26 19:07

S30	332	((cryptograph\$2 encrypt\$3). ab. and ((cryptograph\$2 encryption) near3 (algorithm formula) near3 (parameter identifier))	US-PGPUB; USPAT	OR	ON	2007/05/26 19:22
S31	9	("5115466" "5412717" "5651068" "5740248" "5778071" "5841869" "5907620" "5933503" "6389534").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/26 19:19
S32	0	("7013390").URPN.	USPAT	OR	ON	2007/05/26 19:21
S33	4	("6397330").URPN.	USPAT	OR	ON	2007/05/26 19:21
S34	7	("6389534").URPN.	USPAT	OR	ON	2007/05/26 19:21
S35	5	("5412717" "5651068" "5740248" "5841869" "5907620").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/26 19:21
S36	1	((cryptograph\$2 encryption) near3 (algorithm formula) near3 (parameter identifier)) with threshold	US-PGPUB; USPAT	OR	ON	2007/05/26 19:23
S37	1	((cryptograph\$2 encryption) near3 (algorithm formula)) with (unacceptable) with acceptable	US-PGPUB; USPAT	OR	ON	2007/05/26 19:24
S38	1	(cryptograph\$2 encryption) same (algorithm formula) with (unacceptable) with acceptable	US-PGPUB; USPAT	OR	ON	2007/05/26 19:24
S39	1	(cryptograph\$2 encryption) and (acceptable valid proper adequate sufficient satisfactory passable tolerable) near4 (seed adj (length size)) same (test\$3 analy\$3 check\$3 confirm\$5 prov\$3 compar\$3)	US-PGPUB; USPAT	OR	ON	2007/05/26 19:24
S40	1	("20050235342").PN.	US-PGPUB; USPAT	OR	OFF	2007/05/26 22:24
S41	14	seed near3 (size length) same (algorithm cipher formula encryption cryptographic) same strength	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 22:33

S42	83	(test\$3 determin\$3 compar\$3) with seed near3 (size length) same (algorithm cipher formula encryption cryptographic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 22:34
S43	84	(test\$3 determin\$3 compar\$3 evaluat\$3) with seed near3 (size length) same (algorithm cipher formula encryption cryptographic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 22:34
S44	608	((380/1,2) or (726/25)). CCLS.	US-PGPUB; USPAT	OR	OFF	2007/10/27 21:39
S45	85	S44 and (@pd > "20070526")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 22:35
S46	3	(suggest\$3 with alternative with (encrypt\$3 cryptographic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 22:36
S47	44	(suggest\$3 with alternative) and (encrypt\$3 cryptographic).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:15
S48	4	("6397330").URPN.	USPAT	OR	ON	2007/10/27 22:41
S49	2	("5689565" "6397330"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/27 22:43
S50	78	("5689565").URPN.	USPAT	OR	ON	2007/10/27 22:44
S51	25	(alternative) near2 (encrypt\$3 cryptographic).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:18
S52	0	(alternative) near2 (encrypt\$3 cryptographic) near2 (cipher operation service function) same (conformance conformity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:23
S53	3	(alternative) near2 (encrypt\$3 cryptographic) near2 (cipher operation service function) same (conformance conformity allow\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:24

S54	0	(alternative) near2 (encrypt \$3 cryptographic) near2 (cipher operation service function) same (conformance conformity approve\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:24
S55	1	suggest near2 (alternative) near2 (cipher operation service function) same (conformance conformity approve\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:34
S56	1	("6232539").PN.	US-PGPUB; USPAT	OR	OFF	2007/10/27 23:30
S57	48	suggest near2 (alternative) near2 (cipher operation service function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:42
S58	13	("5933144" "5974572" "6496866" "6530075" "6549944" "6634022" "6651241" "6681386" "6691301" "6701514" "6779172" "6826606" "6865691").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/27 23:39
S59	4	recommend\$3 near2 (alternative) near2 (cipher operation service function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:42
S60	0	recommend\$3 near2 (other) near2 (cipher operation service function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:42
S61	2	suggest near2 (other) near2 (cipher operation service function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:43
S62	194	offer\$3 near2 (alternative) near2 (cipher operation service function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:43
S63	35	offer\$3 near2 (alternative) near2 (cipher operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:45

S64	49	(recommend\$3 offer\$3 suggest\$3) near2 (second substitute) near2 (cipher operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:48
S65	99	(recommend\$3 offer\$3 suggest\$3) near2 (another other different) near2 (cipher operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:48
S66	506	(recommend\$3 offer\$3 suggest\$3) near2 (another other different alternative substitute) near2 (cipher operation service function) and (cryptographic encrypt \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:49
S67	129735	(recommend\$3 offer\$3 suggest\$3) near2 (another other different alternative substitute) near2 (cipher operation service function) asame (cryptographic encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:49
S68	31	(recommend\$3 offer\$3 suggest\$3) near2 (another other different alternative substitute) near2 (cipher operation service function) same (cryptographic encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:49
S69	10	("4918728" "4941176" "5073934" "5200999" "5323464" "5432849" "5555309" "5651068" "5710814" "5841870").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/28 00:33
S70	9	("6308266").URPN.	USPAT	OR	ON	2007/10/28 00:46
S71	1	("7,079,648").PN.	US-PGPUB; USPAT	OR	OFF	2007/10/28 00:46
S72	1	strength/weakness same cryptography same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 17:44
S73	1	strength same weakness same cryptography same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 17:45

S74	279	726/25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 17:51
S75	28	("20020052950" "20020078382" "20020147803" "20020171546" "20020178381" "20030084322" "20030135749" "20030149888" "20030154263" "20030172301" "20040006704" "20040015719" "20040181685" "20040250133" "5657460" "5870543" "6205552" "6266774" "6282709" "6304975" "6493871" "6535227" "6553378" "6567808" "6704874" "6948169" "6952779" "6976251"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/07 17:55
S76	1	("6308266").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/07 18:18
S77	2	("5689565" "6397330"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/07 18:20
S78	1	("7079648").URPN.	USPAT	OR	ON	2008/07/07 18:21
S79	4	("6397330").URPN.	USPAT	OR	ON	2008/07/07 18:22
S80	0	("7013390").URPN.	USPAT	OR	ON	2008/07/07 18:23
S81	9	("5115466" "5412717" "5651068" "5740248" "5778071" "5841869" "5907620" "5933503" "6389534").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/07 18:23
S82	28	("5740248").URPN.	USPAT	OR	ON	2008/07/07 18:26
S83	0	("7013390").URPN.	USPAT	OR	ON	2008/07/07 18:30
S84	10	("6389534").URPN.	USPAT	OR	ON	2008/07/07 18:30
S85	10	("6389534").URPN.	USPAT	OR	ON	2008/07/07 18:31
S86	0	("7360241").URPN.	USPAT	OR	ON	2008/07/07 18:31

S87	18	("5412717" "5644739" "5651068" "5740248" "5818446" "5841869" "5872555" "5907620" "5914714" "6005566" "6057836" "6072486" "6133915" "6188401" "6526513" "6647494" "6671809" "7096496").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/07 18:31
S88	13	("5099516" "5123045" "5224166" "5276735" "5301231" "5315655" "5325430" "5412717" "5530752" "5541991" "5544244" "5600726" "5615381").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/07 18:32
S89	237	(380/1,2).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/07/09 12:44
S90	16	S89 and (@pd > "20071027")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:45
S91	28	("5740248" "7360241").URPN.	USPAT	OR	ON	2008/07/09 13:52
S92	282	726/25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 13:54
S93	237	(380/1,2).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/07/09 13:54
S94	20	(S92 S93) and ((seed key) adj (length size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 13:54
S95	446	(strong strength) with ((seed key) adj (length size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 14:06
S96	3302	((strong strength) with ((seed key) adj (length size) encryption cryptogrpic cipher))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 14:06
S97	373	((strong strength) with ((seed key) adj (length size) encryption cryptogrpic cipher)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 14:07

S98	373	((strong strength) with ((seed key) adj (length size) encryption cryptographic cipher)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 14:07
S99	1	("6308266").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/09 14:43
S100	10	("4918728" "4941176" "5073934" "5200999" "5323464" "5432849" "5555309" "5651068" "5710814" "5841870"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/09 14:44
S101	12	("6308266").URPN.	USPAT	OR	ON	2008/07/09 14:44
S102	17	("20020112171" "5323464" "5369702" "5412717" "5493692" "5555376" "5649099" "5745572" "5883956" "5907620" "5933503" "6125446" "6178504" "6298445" "6308266" "6389534" "6535980"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/09 14:53
S103	0	("6792537").URPN.	USPAT	OR	ON	2008/07/09 14:57
S104	1	("5889953").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/09 14:59
S105	1	("6567913").URPN.	USPAT	OR	ON	2008/07/09 15:24
S106	21	("4633036" "4900904" "5073934" "5204961" "5214702" "5416841" "5418854" "5422953" "5448641" "5504818" "5768388" "5796841" "5838812" "5862223" "5987123" "6044350" "6076163" "6158007" "6272639" "6308266" "6330677").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/09 15:24
S107	1	("7079648").URPN.	USPAT	OR	ON	2008/07/09 18:04
S108	2	("5689565" "6397330"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/09 18:06
S109	282	726/25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:09
S110	237	(380/1,2).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/07/09 18:09

S111	1	(S109 S110) and (check\$3 determin\$3 verif\$4 verification threshold accept\$4) with ((seed key) adj (length size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:09
S112	747	(check\$3 determin\$3 verif\$4 verification threshold accept\$4) with ((seed key) adj (length size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:10
S113	349	(check\$3 determin\$3 verif\$4 verification threshold accept\$4) near4 ((seed key) adj (length size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:10
S114	171	(check\$3 determin\$3 verif\$4 verification threshold accept\$4) near4 ((seed key) adj (length size)) and (strength strong\$2 weak\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:12
S115	130	(check\$3 determin\$3 verif\$4 verification threshold accept\$4) near4 ((seed key) adj (length size)) and (strength strong\$2 weak\$2) and (secur\$3 encrypt\$3 cryptography cipher)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:13
S116	10478	(correct\$4) same (strength strong\$2 weak\$2) same (secur\$3 encrypt\$3 cryptography cipher)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:15
S117	44765	(correct\$4) with (secur\$3 encrypt\$3 cryptography cipher)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:15
S118	760	(correctness) with (secur\$3 encrypt\$3 cryptography cipher)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:16
S119	239	(correctness) with (encrypt\$3 cryptography cipher)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:17
S120	2	((("20050235342") or ("6411715")).PN.	US-PGPUB; USPAT	OR	OFF	2008/07/09 18:28
S121	3	("6504929").URPN.	USPAT	OR	ON	2008/07/09 18:33

S122	12	("5307807" "5430833" "5465258" "5544255" "5647017" "5715164" "5806059" "5838795" "5893069" "5903730" "6088676" "6108419").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/09 18:35
S123	1	verif\$3 near4 cryptographic near5 strength	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/09 18:37
S124	49	verif\$3 near4 (correctness strength) with (cipher encrypt\$3 cryptographic)	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/09 18:38
S125	1	("6425082").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/09 22:55
S126	1	("20040249768").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/11 11:39
S127	2	((("6389538") or ("20020143955")).PN.	US-PGPUB; USPAT	OR	OFF	2008/07/11 11:48
S128	178	log\$4 with number near4 download\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 17:56
S129	186	rout\$3 near5 (verif\$4 verification authenticat\$3) with certificate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 00:58
S130	186	rout\$3 near5 (verif\$4 verification authenticat\$3) with certificate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 00:59
S131	82	(routing router) near5 (verif \$4 verification authenticat \$3) with certificate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 01:01
S132	10	(verify\$3 check\$4) with key near4 (size length strength) same (cipher encryption) same request	US-PGPUB; USPAT	OR	ON	2008/07/16 18:09
S133	3	((("5764772") or ("5949883") or ("6307936")).PN.	US-PGPUB; USPAT	OR	OFF	2008/07/16 18:14
S134	1	("7272500").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/16 18:15
S135	288	key adj strength	US-PGPUB; USPAT	OR	ON	2008/07/16 18:17

S136	69	key adj strength and ("713"/\$\$\$\$.ccls. "380"/\$\$\$\$.ccls.)	US-PGPUB; USPAT	OR	ON	2008/07/16 18:18
S137	73	key adj strength and ("713"/\$\$\$\$.ccls. "380"/\$\$\$\$.ccls. "382"/\$\$\$\$.ccls.)	US-PGPUB; USPAT	OR	ON	2008/07/16 18:18
S138	128	(verify\$3 check\$4) with key near4 (size length strength) and ("713"/\$\$\$\$.ccls. "380"/\$\$\$\$.ccls. "382"/\$\$\$\$.ccls.)	US-PGPUB; USPAT	OR	ON	2008/07/16 18:22
S139	10	(verify\$34) near3 key near2 (size length strength) and ("713"/\$\$\$\$.ccls. "380"/\$\$\$\$.ccls. "382"/\$\$\$\$.ccls.)	US-PGPUB; USPAT	OR	ON	2008/07/16 18:27
S140	5	(verify\$34) near3 key near2 (size length strength) not S139	US-PGPUB; USPAT	OR	ON	2008/07/16 19:07
S141	3	weak same (suggest\$3 verify\$3 recommend\$3 requir\$3) near4 (alternative different stronger) near3 (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:04
S142	205	(suggest\$3 verify\$3 recommend\$3 requir\$3) near4 (alternative different stronger) near3 (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:06
S143	203	(requir\$3) near4 (alternative different stronger) near3 (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:20
S144	2	(requir\$3) near4 (stronger) near3 (cryptograph\$2 cipher encryption) adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:21
S145	3	(requir\$3) near4 (stronger) near3 key with (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:22
S146	0	(recommend\$3) near4 (stronger) near3 key with (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:44

S147	0	(recommend\$3) near4 (different another) near3 key with (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:44
S148	11	(recommend\$3) near4 (different another) same (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:45
S149	266	(requir\$3) near4 (stronger different another alternative) near5 (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:47
S150	30	(requir\$3) near4 (stronger) near5 (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:48
S151	7	illegal near4 (command operation) with (recommend\$3 requir\$3 suggest\$3 forc\$3) near4 (alternative different other another) near3 (command operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 22:16
S152	9	(authorized unauthorized illegal) near4 (command operation) with (recommend\$3 requir\$3 suggest\$3 forc\$3) near4 (alternative different other another) near3 (command operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 22:19
S153	2	(authorized unauthorized illegal) near4 (command operation) with (recommend\$3 requir\$3 suggest\$3 forc\$3) near4 (alternative different other another) near3 (command operation) not S151	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 22:19
S154	4	(authorized unauthorized illegal) near4 (service request) with (recommend \$3 requir\$3 suggest\$3 forc \$3) near4 (alternative different other another) near3 (service request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 22:21

S155	13	(authorized unauthorized illegal) near4 (service request operation command) with (recommend\$3 requir\$3 suggest\$3 forc\$3) near4 (alternative different other another) not S154 not S152	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 22:26
S156	852	(authorized unauthorized illegal) near4 (service request operation command) with (alternative different other another) not S154 not S152 not S155	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 22:36
S157	444	(authorized unauthorized illegal) near4 (service request operation command) near6 (alternative different other another) not S154 not S152 not S155	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 22:36
S158	395	(authorized unauthorized illegal) near4 (service request operation command) near6 (alternative different other another) not S154 not S152 not S155	US-PGPUB; USPAT	OR	ON	2008/07/18 22:37
S159	168	(authorized unauthorized illegal) near4 (service request operation command) near6 (alternative different other another) not S154 not S152 not S155	USPAT	OR	ON	2008/07/18 22:37
S160	2	davis.in. and (selective adj data adj encryption and style).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 23:52
S161	1	("6066542").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/19 00:07
S162	1	(Selecting and Encryption and Levels and Based and Policy and Profiling).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/19 00:10
S163	2	((("6397330") or ("7246360")).PN.	US-PGPUB; USPAT	OR	OFF	2008/11/21 10:50

2/ 7/ 2009 8:36:11 PM

C:\Documents and Settings\jkim\My Documents\EAST\Workspaces\10759636.wsp